DESCRIPTION:

The ACJT04F-800SW triac is suitable for general purpose AC switching. It can be used as an ON/OFF function in applications such as heating re ʻM a " ʿ ! r



Average gate power dissipation (T_j=125)	$P_{G(AV)}$	0.5	W
Peak gate power	P_{GM}	10	W
Peak pulse voltage (T_j=25 ; non-repetitive,off-state;FIG.7)	V_{pp}	3.25	kV

ELECTRICAL CHARACTERISTICS (T_j=25 unless otherwise specified)

I_{GT}	V_D =12V R_L =33Ω	- -	MAX.	10	mA
V_{GT}		- -	MAX.	1	V
V_{GD}	V_D =V_{DRM} T_j =125 R_L =3.3kΩ	- -	MIN.	0.2	V
I_L	I_G =1.2I_{GT}	-	MAX.	30	mA
				45	
I_H	I_T =100mA		MAX.	25	mA
dV/dt	V_D=540V Gate Open T_j =125		MIN.	550	V/μs
(dI/dt)c	(dV/dt)c=10V/μs, T_j=125		MIN.	3.5	A/ms
t_{on}	I_G=20mA I_A=200mA I_R=20mA T_j=25		TYP.	2.5	μs
t_{off}				25	
V_{CL}	I_{CL}=0.1mA t_p=1ms		MIN.	850	V

STATIC CHARACTERISTICS

V_{TM}	I_{TM} =5.6A t_p=380μs	T_j=25	1 .6	V
V_{TO}	Threshold voltage	T_j=125	0 .9	V
R_D	Dynamic resistance	T_j=125	80	mΩ
I_{DRM}	V_D =V_{DRM} V_R =V_{RRM}	T_j=25	5	μA
I_{RRM}		T_j=125	0.25	mA

THERMAL RESISTANCES

$R_{th(j-c)}$	junction to case (AC)	3.5	/W
$R_{th(j-a)}$	junction to ambient (AC)	60	/W

ORDERING INFORMATION



MARKING

Maximum power dissipation versus RMS on-state current



RMS on-state current versus case temperature



FIG.7 ÖTest circuit for inductive and resistive loads to IEC-61000-4-5 standards



LEAD FORMING AND SOLDERING

Refer to the application note “Assembly Instructions for Thyristors in Through-hole Package” released by JieJie D] Œ } o š Œ } v] • X

ated

PACKAGE MECHANICAL DATA



Information furnished in this document is believed to be accurate and reliable. However, Jiangsu JieJie Microelectronics Co., Ltd. assumes no responsibility for the consequences of use without consideration for such information nor use beyond it. Information mentioned in this document is subject to change without notice, apart from that when an agreement is signed, Jiangsu JieJie complies with the agreement.
Products and information provided in this document have no infringement of patents. Jiangsu JieJie assumes no responsibility for any infringement of other rights of third parties which may result from the use of such products and information. This document ч