

DESCRIPTION:

6 3 0 -0 6666

Agenda

Position

গণপ্রজাতন্ত্রী বাংলাদেশ

stop

tblr


Pg

Ø

2

h

h



MAIN FEATURES

5	4	3
10	4	A
V₀ N₀	60	V
10 / / /	5 5 5	A

ABSOLUTE MAXIMUM RATINGS

[illegible]

ELECTRICAL CHARACTERISTICS

Symbol	Test Condition	Quadrant	Value		Unit
I_G	$V_D = 5V$ $R_L = 3k\Omega$	A	mA	5	mA
V_G		A	mA	1	V
V_D	$V_D = 5V$ $R_L = 3k\Omega$ $T_j = 25^\circ C$	AL	mA	0	V
I_L	$I_G = 2 I_G$	- -	mA	9	mA
				3	
I_H			mA	5	mA

The diagram illustrates a sequence of steps labeled J, S, Z, Q, O, and T. It includes various mathematical expressions and symbols, such as σ , μ , λ , and γ , along with a large inequality at the bottom right.

5

— — —

FIG.1: 



FIG.2:  -


ORDERING INFORMATION

Order code	Voltage $V_{\text{DRM}}/V_{\text{RRM}}$ (V)	IGT(mA)	Package	Base qty. (pcs)	Delivery mode
		H- I- J- K			
JST134Q-600T	600	5	TO-126	500	Bulk Pack

Document Revision History

PACKAGE MECHANICAL DATA



R	D					
	M			b		
	M	P	M	M	P	M
A	0		0	0		0
B	0		2	0		0
C	3		0	0		0
D	0		0	0		0
E	1		2	0		0
F	0		0	0		0
G	2			0		
H	0		0	0		0
J	0		0	0		0
K	0		0	0		0

